RECEIVED
CENTRAL FAX CENTER
AUG 0 5 2008

IN THE CLAIMS

1.(original) ~~Uracils~~ A uracil having general formula (I):



(I)

wherein:

~~3~~ X_1 represents a hydrogen atom or a halogen atom;

4 X_2 represents a halogen atom;

- X_4 represents a C_1-C_3 haloalkyl group;
- R represents a hydrogen atom, a C_1-C_3 alkyl group or a C_1-C_3 haloalkyl group;
- G represents an oxygen atom or a sulphur atom;
- X_3 represents a $Q(CR_1R_2)_nZ$- group, ~~a Q_1Z group~~, a Q_2- group, a $Y(OC)$-CR_6=CR_5-CR_3R_4Z- group;
- Z represents an oxygen atom or a sulphur atom;
- R_1, R_2, R_3 and R_4, the same or different, represent a hydrogen atom or, a C_1-C_4 alkyl group; ~~or a C_1-C_4 haloalkyl group;~~
- R_5 represents an OR_7 group;
- R_6 represents a hydrogen atom or a C_1-C_4 alkyl group;
- R_7 represents a C_1-C_4 alkyl group or a C_1-C_4 haloalkyl group;
- Y represents a C_4-C_6 alkoxy or haloalkoxy group; ~~an OR_8 group, a SR_9 group, a $NR_{10}R_{11}$ group;~~

~~R_8 and R_9 represent a hydrogen atom, a C_1-C_6 linear or branched alkyl group, a C_2-C_6 linear or branched haloalkyl group, a C_3-C_6 cycloalkyl group, a C_4-C_9 cycloalkylalkyl group, a C_2-C_6 cyanoalkyl group, a C_3-C_6 alkoxyalkyl group, an oxethenyl group, a tetrahydrofuranyl group; a phenyl group, a C_7-C_{12} phenylalkyl group, a pyridyl group, said groups, in~~

~~turn, possibly substituted with one or more halogen atoms selected from chlorine, fluorine, bromine or iodine, or substituted with one or more groups selected from C_1-C_4 alkyl, or C_1-C_4 haloalkyl, C_1-C_4 alkoxy or C_1-C_4 haloalkoxy;~~

~~R_{10} and R_{11}, the same or different, represent a hydrogen atom, or a C_1-C_6 alkyl group, a C_1-C_6 haloalkyl group, a C_3-C_6 cycloalkyl group, a C_7-C_{12} arylalkyl group, or an aryl group, said groups, in turn, possibly substituted with one or more halogen atoms selected from chlorine, fluorine, bromine or iodine, or substituted with one or more groups selected from a C_1-C_4 alkyl, or C_1-C_4 haloalkyl, C_1-C_4 alkoxy or C_1-C_4 haloalkoxy; or, jointly represent a C_3-C_7 alkylene chain possibly substituted with C_1-C_4 alkyl groups and possibly interrupted by oxygen atoms or by a NR_{12} group, wherein:~~

~~R_{12} represents a hydrogen atom, a C_1-C_6 alkyl group or C_1-C_6 haloalkyl group, a C_2-C_6 alkenyl group or a C_2-C_6 haloalkenyl group, a C_3-C_6 alkynyl group or C_3-C_6 haloalkynyl group, a C_2-C_8 alkoxyalkyl group or a C_2-C_8 haloalkoxyalkyl group, a C_2-C_7 alkylcarbonyl group or C_2-C_7 haloalkylcarbonyl group;~~

- n represents 1, 2 or 3;
- Q represents a heterocyclic group selected from ~~pyrrol-~~

~~2-yl, pyrrol-3-yl, imidazol-2-yl, imidazol-4-yl, imidazol-5-yl, pyrazol-3-yl, pyrazol-4-yl, pyrazol-5-yl, 1,2,4-triazol-3-yl, 1,2,4-triazol-5-yl, 1,2,4-triazol-3-onyl, 1,2,3-triazolyl, tetrazolyl, oxazolyl, isoxazol-5-yl, thiazol-2-yl, thiazol-5-yl, isothiazolyl,~~ 1,3,4-oxadiazolyl, 1,3,4-thiadiazolyl, 1,2,4-thiadiazolyl, ~~1,2,4-oxadiazolyl, 1,2,4-oxadiazol-5-on-3-yl, benzoxazol-2-yl, benzothiazol-2-yl, pyrazinyl, pyridazinyl, 1,2,4-triazinyl, 1,3,4-thiadiazol-2-on-5-yl, 1,4,2-dioxazol-5-on-3-yl, 1,4,2-oxathiazol-5-on-3-yl, 1,3,4-oxadiazin-5-on-2-yl, 1,4,2-dioxazin-3-yl, 1,2,4-oxadiazin-5-on-3-yl, 4,5,6,7-tetrahydro-1,3-benzothiazol-2-yl, 5,6-dihydro-4*H*-cyclopenta[*d*][1,3]thiazole~~, said groups, in turn, ~~possibly~~ being optionally substituted with a halogen atom[[s]] selected from chlorine, fluorine, bromine or iodine, or ~~substituted~~ with a group[[s]] selected from C_1-C_6 alkyl or C_1-C_6 haloalkyl, C_2-C_6 alkenyl or C_2-C_6 haloalkenyl, ~~C_2-C_6 alkenyloxy or C_2-C_6 haloalkenyloxy~~, C_2-C_6 alkynyl or C_2-C_6 haloalkynyl, ~~C_2-C_6 alkynyloxy or C_3-C_6 haloalkynyloxy, C_1-C_6 alkoxy or C_1-C_6 haloalkoxy, C_2-C_6 alkoxyalkyl or C_2-C_6 haloalkoxyalkyl, C_2-C_6 alkoxyalkoxy, C_2-C_6 haloalkoxyalkoxy, C_2-C_6 haloalkoxyhaloalkoxy, C_3-C_8 alkoxyalkoxyalkyl, C_3-C_8~~

~~alkoxyalkoxyalkoxy, C_1-C_6 alkylthio or C_1-C_6 haloalkylthio, C_2-C_6 alkylthioalkyl, C_1-C_6 alkylsulfinic or C_1-C_6 haloalkylsulfinic, C_1-C_6 alkylsulfonic or C_1-C_6 haloalkylsulfonic, C_2-C_6 alkoxycarbonyl or C_2-C_6 haloalkoxycarbonyl, C_3-C_7 alkenyloxycarbonyl or C_3-C_7 alkynyloxycarbonyl, C_3-C_8 alkoxycarbonylalkyl or C_3-C_8 haloalkoxycarbonylalkyl, C_4-C_9 alkenyloxycarbonylalkyl or C_4-C_9 alkynyloxycarbonylalkyl, C_3-C_8 alkoxycarbonylalkoxy, C_4-C_9 alkenyloxycarbonylalkoxy or C_4-C_9 alkynyloxycarbonylalkoxy, C_3-C_8 aminocarbonylalkoxy possibly substituted with C_1-C_4 alkyl groups or with a C_2-C_6 alkylene group; CN, CHO, NO_2, NH_2, OH, C_1-C_3 cyanoalkyl, C_1-C_3 cyanoalkyloxy, C_2-C_6 formylalkyl, C_2-C_6 alkylcarbonyl, C_2-C_6 haloalkylcarbonyl, C_3-C_7 alkylcarbonylalkyl, C_2-C_6 alkoxyimino, C_2-C_6 haloalkoxyimino, C_3-C_6 alkoxyiminoalkyl, C_3-C_6 haloalkoxyiminoalkyl, C_3-C_6 alkoxyiminohaloalkyl, aminocarbonyl, C_2-C_6 aminocarbonylalkyl, aminosulfonyl or C_2-C_6 aminosulfonylalkyl, these last four groups possibly substituted with one or two C_1-C_4 alkyl groups or with a C_2-C_5 alkylene group; C_1-C_6 alkylsulfonylamino, C_2-C_7 alkylcarbonylamino or C_2-C_7 alkoxycarbonylamino, these last three groups possibly substituted with C_1-C_4 alkyl~~

~~groups; C_5-C_{10} aryl, C_6-C_{12} arylalkyl, C_6-C_{10} arylalkoxy, C_7-C_{12} aryloxyalkyl, C_8-C_{12} arylalkyloxyalkyl said groups in turn possibly substituted with halogen atoms, C_1-C_4 alkyl groups, C_1-C_2 haloalkyl groups, C_1-C_4 alkoxy groups, C_1-C_3 haloalkoxy groups, CN; C_3-C_7 cycloalkyl, C_6-C_{12} cycloalkylalkyl, C_6-C_{10} cycloalkylalkoxy, tetrahydropyran-2-yl said groups in turn possibly substituted with halogen atoms, C_1-C_4 alkyl groups, C_1-C_4 alkoxy groups;~~

~~Q_1 represents a heterocyclic group selected from 1,3,4-thiadiazol-2-yl, 1,3,4-thiadiazol-5-yl, 1,2,4-thiadiazol-5-yl, tetrazol-5-yl, 1,3,4-oxadiazol-2-yl, 1,3,4-oxadiazol-5-yl, 1,2,4-oxadiazol-5-yl, oxazol-2-yl, oxazol-4-yl, oxazol-5-yl, isoxazol-3-yl, isoxazol-5-yl, thiazol-2-yl, thiazol-4-yl, thiazol-5-yl, said groups, in turn, possibly substituted with halogen atoms selected from chlorine, fluorine, bromine or iodine, or substituted with groups selected from C_1-C_6 alkyl or C_1-C_6 haloalkyl, C_2-C_6 alkenyl or C_2-C_6 haloalkenyl, C_2-C_6 alkenyloxy or C_2-C_6 haloalkenyloxy, C_2-C_6 alkynyl or C_2-C_6 haloalkynyl, C_2-C_6 alkynyloxy or C_2-C_6 haloalkynyloxy, C_1-C_6 alkoxy or C_1-C_6 haloalkoxy, C_2-C_6 alkoxyalkyl or C_2-C_6 haloalkoxyalkyl, C_1-C_6 alkylthio or C_1-C_6 haloalkylthio, C_1-C_6 alkylsulfinic or~~

~~C_1-C_6 haloalkylsulfinic, C_1-C_6 alkylsulfonic or C_1-C_6 haloalkylsulfonic, C_2-C_6 alkoxycarbonyl or C_2-C_6 haloalkoxycarbonyl, C_3-C_8 alkoxycarbonylalkyl or C_3-C_8 haloalkoxycarbonylalkyl, C_3-C_8 alkoxycarbonylalkoxy, C_3-C_8 aminocarbonylalkoxy possibly substituted with C_1-C_4 alkyl groups or with a C_2-C_5 alkylene; CN, CHO, NO_2, NH_2, C_1-C_3 cyanoalkyl, C_1-C_3 cyanoalkyloxy, C_2-C_6 alkylcarbonyl, C_2-C_6 haloalkylcarbonyl, C_3-C_6 alkoxyiminoalkyl, C_3-C_6 haloalkoxyiminoalkyl, aminocarbonyl, C_2-C_6 aminocarbonylalkyl, aminosulfonyl o C_2-C_6 aminosulfonylalkyl, these last four groups possibly substituted with one or two C_1-C_4 alkyl groups or with a C_2-C_5 alkylene; C_1-C_6 alkylsulfonylamino, C_2-C_4 alkylcarbonylamino or C_2-C_7 alkoxycarbonylamino, these last three groups possibly substituted with C_1-C_4 alkyl groups; C_6-C_{10} aryl, C_6-C_{12} arylalkyl, C_6-C_{10} aryloxy, C_7-C_{12} aryloxyalkyl, C_8-C_{12} arylalkyloxyalkyl said groups in turn possibly substituted with halogen atoms, C_1-C_4 alkyl groups, C_1-C_3 haloalkyl groups, C_1-C_4 alkoxy groups, C_1-C_3 haloalkoxy groups, CN; C_3-C_7 cycloalkyl, C_6-C_{12} cycloalkylalkyl, C_6-C_{10} cycloalkylalkoxy, tetrahydropyran-2-yl said groups in turn possibly substituted with halogen atoms, C_1-C_4 alkyl groups, C_1-C_4 alkoxy groups;~~

- Q_2 represents a heterocyclic group selected from 1H-tetrazol-5-yl or 2H-tetrazol-5-yl, ~~thiazol-2-yl, thiazol-4-yl, thiazol-5-yl, isothiazol-3-yl, isothiazol-4-yl, isothiazol-5-yl, 1,2,3-triazolyl, benzoxazol-2-yl, benzothiazol-2-yl, pyrimidin-2-yl, 1,2,4-triazinyl, 1,3,5-triazinyl, 1,3,4-thiadiazol-2-on-5-yl, 1,4,2-dioxazol-5-on-3-yl, 1,4,2-oxathiazol-5-on-3-yl, 1,3,4-oxadiazin-5-on-2-yl, 1,4,2-dioxazin-3-yl, 1,2,4-oxadiazin-5-on-3-yl, 4,5,6,7-tetrahydro-1,3-benzothiazol-2-yl, 5,6-dihydro-4*H*-cyclopenta[*d*][1,3]thiazole, said groups in turn possibly~~ being optionally substituted ~~with halogen atoms selected from chlorine, fluorine, bromine or iodine, or substituted~~ with a group[[s]] selected from: C_1-C_6 alkyl; [[or]] C_1-C_6 haloalkyl[[,]]; C_2-C_6 alkenyl; [[or]] C_2-C_6 haloalkenyl[[,]]; ~~C_2-C_6 alkenyloxy or C_2-C_6 haloalkenyloxy,~~ C_2-C_6 alkynyl; [[or]] C_2-C_6 haloalkynyl, ~~C_2-C_6 alkynyloxy or C_2-C_6 haloalkynyloxy, C_1-C_6 alkoxy or C_1-C_6 haloalkoxy,~~ C_2-C_6 alkoxyalkyl; [[or]] C_2-C_6 haloalkoxyalkyl[[,]]; ~~C_2-C_6 alkoxyalkoxy, C_2-C_6 haloalkoxyalkoxy, C_2-C_6 haloalkoxyhaloalkoxy,~~ C_3-C_8 alkoxyalkoxyalkyl, ~~C_3-C_8 alkoxyalkoxyalkoxy, C_1-C_6 alkylthio or C_1-C_6 haloalkylthio, C_2-C_6 alkylthioalkyl, C_1-C_6 alkylsulfinic or C_1-C_6 haloalkylsulfinic, C_1-C_6~~

~~alkylsulfonic or C_1-C_6 haloalkylsulfonic, C_2-C_6 alkoxycarbonyl or C_2-C_6 haloalkoxycarbonyl, C_3-C_7 alkenyloxycarbonyl or C_3-C_7 alkynyloxycarbonyl, C_3-C_8 alkoxycarbonylalkyl or C_3-C_8 haloalkoxycarbonylalkyl, C_4-C_9 alkenyloxycarbonylalkyl or C_4-C_9 alkynyloxycarbonylalkyl, C_3-C_8 alkoxycarbonylalkoxy, alkenyloxycarbonylalkoxy C_4-C_9 or alkynyloxycarbonylalkoxy C_4-C_9, C_3-C_8 aminocarbonylalkoxy possibly substituted with C_1-C_4 alkyl or with a C_2-C_5 alkylene; CN, CHO, NO_2, NH_2, OH, C_1-C_3 cyanoalkyl, C_1-C_3 cyanoalkyloxy, C_2-C_6 formylalkyl, C_2-C_6 alkylcarbonyl, C_2-C_6 haloalkylcarbonyl, C_3-C_7 alkylcarbonylalkyl, C_2-C_6 alkoxyimino, C_2-C_6 haloalkoxyimino, C_3-C_6 alkoxyiminoalkyl, C_3-C_6 haloalkoxyiminoalkyl, alkoxyiminohaloalkyl C_3-C_6, aminocarbonyl, C_2-C_6 aminocarbonylalkyl, aminosulfonyl or C_2-C_6 aminosulfonylalkyl, these last four groups possibly substituted with one or two C_1-C_4 alkyl groups or with a C_2-C_5 alkylene; C_1-C_6 alkylsulfonylamino, C_2-C_7 alkylcarbonylamino o C_2-C_7 alkoxycarbonylamino, these last three groups possibly substituted with C_1-C_4 alkyl groups; C_6-C_{10} aryl,~~ C_6-C_{12} arylalkyl, ~~C_6-C_{10} arylalkoxy,~~ C_7-C_{12} aryloxyalkyl, C_8-C_{12} arylalkyloxyalkyl said groups in turn ~~possibly~~ being optionally substituted with

halogen atoms, C_1-C_4 alkyl groups, C_1-C_3 haloalkyl groups, C_1-C_4 alkoxy groups, C_1-C_3 haloalkoxy groups, CN; C_3-C_7 cycloalkyl, C_6-C_{12} cycloalkylalkyl, ~~C_6-C_{10} cycloalkylalkoxy,~~ tetrahydropyran-2-yl said groups in turn ~~possibly~~ being optionally substituted with halogen atoms, C_1-C_4 alkyl groups, C_1-C_4 alkoxy groups.

2.(original): ~~The uracils~~ A uracil according to claim 1, characterized in that ~~they are~~ it is selected from:

- methyl (2*E*)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enoate;
- methyl (2*E*)-4-{2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enoate;
- methyl (2*E*)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenylthio}-3-methoxybut-2-enoate;
- ethyl (2*E*)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-ethoxybut-2-enoate;
- methyl (2*E*)-4-{2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenylthio}-3-methoxybut-2-enoate;
- ethyl (2*E*)-4-{2,4-dichloro-5-[1,2,3,6-tetrahydro-3-

methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-ethoxybut-2-enoate;

- isopropyl (2*E*)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enoate;

- methyl (2*E*)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enoate;

- methyl (2*E*)-4-{2,4-dichloro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enoate;

- ethyl (2*E*)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-ethoxybut-2-enoate;

~~- ethyl (2*E*)-4-{2,4-dichloro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-ethoxybut-2-enoate;~~

~~- 2,2,2-trifluoroethyl (2*E*)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enoate;~~

~~- (2*E*)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxy-N,N-dimethylbut-2-enamide;~~

~~- *S*-ethyl (2*E*)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-~~

~~2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enethioate;~~

- isopropyl (2*E*)-4-{2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enoate;

- 2,2,2-trifluoroethyl (2*E*)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enoate;

- 2,2,2-trifluoroethyl (2*E*)-4-{2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enoate;

~~- *S*-ethyl (2*E*)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enethioate;~~

~~- *S*-ethyl (2*E*)-4-{2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enethioate;~~

~~- (2*E*)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxy-*N*,*N*-dimethylbut-2-enamide;~~

~~- (2*E*)-4-{2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxy-*N*,*N*-dimethylbut-2-enamide;~~

~~- (2*E*)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-~~

~~2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenylthio}-3-methoxy-N,N-dimethylbut-2-enamide;~~

~~- (2*E*)-4-{2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenylthio}-3-methoxy-N,N-dimethylbut-2-enamide;~~

~~- 3-[4-chloro-2-fluoro-5-(tetrazol-5-ylmethoxy)phenyl]-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-{4-chloro-2-fluoro-5-[(2-methyl-2*H*-tetrazol-5-yl)methoxy]phenyl}-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-[4-chloro-2-fluoro-5-(tetrazol-5-ylmethoxy)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-[2,4-dichloro-5-(tetrazol-5-ylmethoxy)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-{4-chloro-2-fluoro-5-[(2-methyl-2*H*-tetrazol-5-yl)methoxy]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-{4-chloro-2-fluoro-5-[(2-ethyl-2*H*-tetrazol-5-yl)methoxy]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-{2,4-dichloro-5-[(2-methyl-2*H*-tetrazol-5-yl)methoxy]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-{2,4-dichloro-5-[(2-ethyl-2*H*-tetrazol-5-~~

~~yl)methoxy]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-{4-chloro-2-fluoro-5-[(1-ethyl-1*H*-tetrazol-5-yl)methoxy]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-{2,4-dichloro-5-[(1-ethyl-1*H*-tetrazol-5-yl)methoxy]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

- 3-{5-[(5-*tert*-butyl-1,3,4-oxadiazol-2-yl)methoxy]-4-chloro-2-fluorophenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

~~- methyl [5-({2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}methyl)-1*H*-tetrazol-1-yl]acetate;~~

~~- methyl [5-({2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}methyl)-1*H*-tetrazol-1-yl]acetate;~~

~~- methyl [5-({2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}methyl)-2*H*-tetrazol-2-yl]acetate;~~

~~- methyl [5-({2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}methyl)-2*H*-tetrazol-2-yl]acetate;~~

- 3-[4-chloro-3-(tetrazol-5-yl)phenyl]-6-(trifluoromethyl)-

2,4(1*H*,3*H*)-pyrimidinedione;

- 3-[4-chloro-3-(2-methyl-2*H*-tetrazol-5-yl)phenyl]-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

- 3-[4-chloro-3-(1-methyl-1*H*-tetrazol-5-yl)phenyl]-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

- 3-[4-chloro-3-(tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

- 3-[4-chloro-2-fluoro-5-(tetrazol-5-yl)phenyl]-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

- 3-[2,4-dichloro-5-(tetrazol-5-yl)phenyl]-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

- 3-[4-chloro-2-fluoro-5-(tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

- 3-[2,4-dichloro-5-(tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

- 3-[4-chloro-3-(2-methyl-2*H*-tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

- 3-[4-chloro-2-fluoro-5-(2-methyl-2*H*-tetrazol-5-yl)phenyl]-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

- 3-[2,4-dichloro-5-(2-methyl-2*H*-tetrazol-5-yl)phenyl]-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

- 3-[4-chloro-2-fluoro-5-(1-methyl-1*H*-tetrazol-5-yl)phenyl]-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

- 3-[2,4-dichloro-5-(1-methyl-1*H*-tetrazol-5-yl)phenyl]-6-

(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

- 3-[4-chloro-2-fluoro-5-(2-methyl-2*H*-tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

- 3-[2,4-dichloro-5-(2-methyl-2*H*-tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

- 3-[4-chloro-3-(2-ethyl-2*H*-tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

- 3-[4-chloro-3-(1-methyl-1*H*-tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

- 3-[4-chloro-2-fluoro-5-(1-methyl-1*H*-tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

- 3-[2,4-dichloro-5-(1-methyl-1*H*-tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

- 3-[4-chloro-3-(1-ethyl-1*H*-tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

~~- methyl (5-{2-chloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenyl}-1*H*-tetrazol-1-yl)acetate;~~

~~- methyl (5-{2-chloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenyl}-2*H*-tetrazol-2-yl)acetate;~~

~~- methyl (5-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-~~

~~methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenyl}-1*H*-tetrazol-1-yl)acetate;~~

~~- methyl (5-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenyl}-2*H*-tetrazol-2-yl)acetate;~~

~~- methyl (5-{2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenyl}-1*H*-tetrazol-1-yl)acetate;~~

~~- methyl (5-{2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenyl}-2*H*-tetrazol-2-yl)acetate;~~

~~- 3-[4-chloro-3-(4-methoxy-5-methyl-1,3-thiazol-2-yl)phenyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-[2,4-dichloro-5-(4-methoxy-5-methyl-1,3-thiazol-2-yl)phenyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-[4-chloro-2-fluoro-5-(4-methoxy-5-methyl-1,3-thiazol-2-yl)phenyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-[4-chloro-3-(4-methoxy-5-methyl-1,3-thiazol-2-yl)phenyl-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-[4-chloro-3-(4-ethoxy-5-methyl-1,3-thiazol-2-yl)phenyl-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-[2,4-dichloro-5-(4-methoxy-5-methyl-1,3-thiazol-2-yl)phenyl-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-~~

~~pyrimidinedione;~~

~~3-[2,4-dichloro-5-(4-ethoxy-5-methyl-1,3-thiazol-2-yl)phenyl-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~3-[4-chloro-2-fluoro-5-(4-methoxy-5-methyl-1,3-thiazol-2-yl)phenyl-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~3-[4-chloro-2-fluoro-5-(4-ethoxy-5-methyl-1,3-thiazol-2-yl)phenyl-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~3-[4-chloro-3-(4-benzyloxy-5-methyl-1,3-thiazol-2-yl)phenyl-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~3-[2,4-dichloro-5-(4-benzyloxy-5-methyl-1,3-thiazol-2-yl)phenyl-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~3-[4-chloro-2-fluoro-5-(4-benzyloxy-5-methyl-1,3-thiazol-2-yl)phenyl-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~3-(2,4-dichloro-5-{[5-(trifluoromethyl)-1,3,4-thiadiazol-2-yl]oxy}phenyl)-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~3-(4-chloro-2-fluoro-5-{[5-(trifluoromethyl)-1,3,4-thiadiazol-2-yl]oxy}phenyl)-6-(trifluoromethyl)-2,4(1*H*,3*H*)-~~

~~pyrimidinedione;~~

~~3-(2,4-dichloro-5-{[5-(trifluoromethyl)-1,3,4-oxadiazol-2-yl]oxy}phenyl)-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~3-(4-chloro-2-fluoro-5-{[5-(trifluoromethyl)-1,3,4-oxadiazol-2-yl]oxy}phenyl)-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~3-(4-chloro-3-{[5-(trifluoromethyl)-1,3,4-thiadiazol-2-yl]oxy}phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~3-(2,4-dichloro-5-{[5-(trifluoromethyl)-1,3,4-thiadiazol-2-yl]oxy}phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~3-(4-chloro-2-fluoro-5-{[5-(trifluoromethyl)-1,3,4-thiadiazol-2-yl]oxy}phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~3-(4-chloro-3-[(5-methyl-1,3,4-thiadiazol-2-yl)oxy]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~3-(2,4-dichloro-5-[(5-methyl-1,3,4-thiadiazol-2-yl)oxy]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~3-(4-chloro-2-fluoro-5-[(5-methyl-1,3,4-thiadiazol-2-yl)oxy]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-~~

~~pyrimidinedione;~~

~~- 3-(4-chloro-3-{[5-(trifluoromethyl)-1,3,4-oxadiazol-2-yl]oxy}phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-(2,4-dichloro-5-{[5-(trifluoromethyl)-1,3,4-oxadiazol-2-yl]oxy}phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-(4-chloro-2-fluoro-5-{[5-(trifluoromethyl)-1,3,4-oxadiazol-2-yl]oxy}phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-(4-chloro-3-[(5-methyl-1,3,4-oxadiazol-2-yl)oxy]phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-(2,4-dichloro-5-[(5-methyl-1,3,4-oxadiazol-2-yl)oxy]phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-(4-chloro-2-fluoro-5-[(5-methyl-1,3,4-oxadiazol-2-yl)oxy]phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

- methyl (2*E*)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-6-oxo-2-thioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enoate;

- methyl (2*E*)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-difluoromethyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-

yl]phenoxy}-3-methoxybut-2-enoate;

~~3-[4-chloro-3-(4,5-dimethyl-1,3-thiazol-2-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

- methyl (2*E*)-4-{2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxypent-2-enoate;
- methyl (2*E*)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxypent-2-enoate;
- ethyl (2*E*)-4-{2,4-dichloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enoate;
- ethyl (2*E*)-4-{2-chloro-4-fluoro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enoate;
- 3-{4-chloro-3-[2-(methoxymethyl)-2*H*-tetrazol-5-yl]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;
- 3-{4-chloro-3-[1-(methoxymethyl)-1*H*-tetrazol-5-yl]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;
- 3-{4-chloro-3-[2-(ethoxymethyl)-2*H*-tetrazol-5-yl]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;
- 3-{4-chloro-3-[1-(ethoxymethyl)-1*H*-tetrazol-5-yl]phenyl}-

1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

- 3-[3-(2-allyl-2*H*-tetrazol-5-yl)-4-chlorophenyl]-1-methyl-6-(trifluoromethyl)- 2,4(1*H*,3*H*)-pyrimidinedione;

- 3-[3-(1-allyl-1*H*-tetrazol-5-yl)-4-chlorophenyl]-1-methyl-6-(trifluoromethyl)- 2,4(1*H*,3*H*)-pyrimidinedione;

~~3-{4-chloro-2-fluoro-5-[(3-methylisoxazol-5-yl)methoxy]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~3-{2,4-dichloro-5-[(3-methylisoxazol-5-yl)methoxy]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~3-[4-chloro-3-(4-isopropoxy-5-methyl-1,3-thiazol-2-yl)phenyl-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~3-[4-chloro-3-(4-hydroxy-5-methyl-1,3-thiazol-2-yl)phenyl-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

- 3-{4-chloro-2-fluoro-5-[(5-methyl-1,2,4-oxadiazol-3-yl)methoxy]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

- 3-{2,4-dichloro-5-[(5-methyl-1,2,4-oxadiazol-3-yl)methoxy]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

~~3-{3-(1,3-benzothiazol-2-yl)-4-chlorophenyl]-1-methyl-6-~~

~~(trifluoromethyl) 2,4(1*H*,3*H*) pyrimidinedione;~~

~~3-[3-(1,3-benzoxazol-2-yl)-4-chlorophenyl]-1-methyl-6-(trifluoromethyl) 2,4(1*H*,3*H*) pyrimidinedione;~~

- 3-{4-chloro-2-fluoro-5-[(3-methyl-1,2,4-oxadiazol-5-yl)methoxy]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

~~3-[4-chloro-3-(4-methyl-1,3-thiazol-2-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

- 3-[4-chloro-2-fluoro-5-(1,2,4-oxadiazol-3-ylmethoxy)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

- 3-[3-(2-*tert*-butyl-2*H*-tetrazol-5-yl)-4-chlorophenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

~~3-[5-(1,3-benzothiazol-2-yl)-4-chloro-2-fluorophenyl]-1-methyl-6-(trifluoromethyl) 2,4(1*H*,3*H*)-pyrimidinedione;~~

- 3-(4-chloro-3-{2-[(2-methoxyethoxy)methyl]-2*H*-tetrazol-5-yl}phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

- 3-(4-chloro-3-{1-[(2-methoxyethoxy)methyl]-1*H*-tetrazol-5-yl}phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

~~3-[5-(1,3-benzoxazol-2-yl)-4-chloro-2-fluorophenyl]-1-methyl-6-(trifluoromethyl) 2,4(1*H*,3*H*)-pyrimidinedione;~~

~~3-[5-(1,3-benzothiazol-2-yl)-2,4-dichlorophenyl]-1-~~

~~methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~3-[2,4-dichloro-5-(6-methyl-1,3-benzoxazol-2-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~2-(5-[2-chloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenyl}-2*H*-tetrazol-2-yl)-*N*,*N*-dimethylacetamide;~~

~~2-(5-[2-chloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenyl}-2*H*-tetrazol-2-yl)acetamide;~~

~~3-[2,4-dichloro-5-(4-methyl-1,3-thiazol-2-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~3-[3-(4-tert-butyl-1,3-thiazol-2-yl)-4-chlorophenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~3-[2,4-dichloro-5-(4-isobutyl-1,3-thiazol-2-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~3-[4-chloro-3-(1,3-thiazol-2-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~ethyl 2-(2-chloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenyl)-4-methyl-1,3-thiazole-5-carboxylate;~~

~~3-(5-[(3-tert-butylisoxazol-5-yl)methoxy]-4-chloro-2-fluorophenyl)-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~3-(4-chloro-2-fluoro-5-[(3-isopropylisoxazol-5-~~

~~yl)methoxy]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

- 3-[4-chloro-3-(2-isopropyl-2*H*-tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;
- 3-[3-(2-benzyl-2*H*-tetrazol-5-yl)-4-chlorophenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;
- 3-[3-(1-benzyl-1*H*-tetrazol-5-yl)-4-chlorophenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

~~3-{4-chloro-2-fluoro-5-[(1-methyl-1*H*-tetrazol-5-yl)oxy]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~3-{4-chloro-2-fluoro-5-[(2-methyl-2*H*-tetrazol-5-yl)oxy]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

- methyl (2*E*)-4-{2-chloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-methoxybut-2-enoate;
- ethyl (2*E*)-4-{2-chloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4(trifluoromethyl)pyrimidin-1-yl]phenoxy}-3-ethoxybut-2-enoate;
- 3-[4-chloro-3-(1,2,4-oxadiazol-3-ylmethoxy)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

~~3-{4-chloro-3-[(3-methylisoxazol-5-yl)methoxy]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-[4-chloro-3-(4,5,6,7-tetrahydro-1,3-benzothiazol-2-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-[4-chloro-3-(5,6-dihydro-1,4,2-dioxazin-3-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-[4-chloro-3-(4-methyl-5-oxo-5,6-dihydro-4*H*-1,3,4-oxadiazin-2-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-[4-chloro-3-(5,6-dihydro-1,4,2-dioxazin-3-ylmethoxy)-2-fluorophenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-(4-chloro-2-fluoro-5-[(4-methyl-5-oxo-5,6-dihydro-4*H*-1,3,4-oxadiazin-2-yl)methoxy]phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-[4-chloro-3-(2-phenyl-2*H*-tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-[4-chloro-3-(1-phenyl-1*H*-tetrazol-5-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

- 3-{4-chloro-3-[1-(cyclopropylmethyl)-1*H*-tetrazol-5-yl]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

- 3-{4-chloro-3-[2-(cyclopropylmethyl)-2*H*-tetrazol-5-yl]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

~~- 3-(4-chloro-3-[1-(2-oxopropyl)-1*H*-tetrazol-5-yl]phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-(4-chloro-3-[2-(2-oxopropyl)-2*H*-tetrazol-5-yl]phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-[4-chloro-3-(4-cyclopropyl-1,3-thiazol-2-yl)phenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- 3-(4-chloro-3-[4-(4-chlorophenyl)-1,3-thiazol-2-yl]phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

~~- ethyl 2-(2-chloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenyl)-1,3-thiazole-4-carboxylate;~~

- 3-[3-(2-butyl-2*H*-tetrazol-5-yl)-4-chlorophenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

~~- 3-[4-chloro-2-fluoro-5-(5,6-dihydro-1,4,2-dioxazin-3-ylmethoxy)-2-fluorophenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

- 3-(4-chloro-3-{2-[(4-chlorophenoxy)methyl]-2*H*-tetrazol-5-yl}phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

- 3-(4-chloro-3-{1-[(4-chlorophenoxy)methyl]-1*H*-tetrazol-5-yl}phenyl)-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;

~~- 3-[3-(4-tert-butyl-5-oxo-4,5-dihydro-1,3,4-thiadiazol-2-~~

~~yl)-4-chlorophenyl]-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;~~

- 3-{4-chloro-3-[2-(4-chlorobenzyl)-2*H*-tetrazol-5-yl]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;
- 3-{4-chloro-3-[1-(4-chlorobenzyl)-1*H*-tetrazol-5-yl]phenyl}-1-methyl-6-(trifluoromethyl)-2,4(1*H*,3*H*)-pyrimidinedione;
- methyl 2-{2-chloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenyl}-1,3-thiazole-4-carboxylate;
- methyl (2-{2-chloro-5-[1,2,3,6-tetrahydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)pyrimidin-1-yl]phenyl}-1,3-thiazol-4-yl)acetate.

3. (canceled)

4. (withdrawn): A process for the preparation of compounds having general formula (I) according to claim 1, characterized in that it includes a cyclo-condensation reaction of an isocyanate or isothiocyanate having general formula (II) with a 3-aminocrotonate having general formula (III) according to reaction scheme 1

Scheme 1:



(II) (I)

wherein

- X_1, X_2, X_3, X_4, R and G have the meanings previously defined;
- R_{13} represents a C_1-C_4 alkyl or C_1-C_4 haloalkyl group or a phenyl group possibly substituted with C_1-C_4 alkyl groups.

5. (withdrawn): The process according to claim 4, characterized in that the reaction is carried out in the presence of an inert organic solvent and in the presence of an organic base or preferably inorganic base, at a temperature ranging from -20°C to the boiling point of the reaction mixture.

6. (withdrawn): The process according to claim 4, characterized in that the isocyanates or isothiocyanates having general formula (II) are prepared starting from a

substituted aniline having general formula (IV) by reaction with a compound having general formula (V), such as phosgene, diphosgene, triphosgene or thiophosgene, according to reaction scheme 2

Scheme 2:



(IV) **(II)**

wherein

- X_1, X_2, X_3 and G have the meanings defined above;
- L_3 and L_4, the same or different, represent a chlorine atom or a CCl_3O- group.

7. (withdrawn): The process according to claim 6, characterized in that the reaction is carried out in the presence of an inert organic solvent, at a temperature ranging from 0°C to the boiling point of the mixture itself, possibly in the presence of a catalyst such as triethylamine, in an amount ranging from 0.001 and 100% by weight with respect to the aniline (IV), with a quantity of

reagent (V) varying from 1 to 3 moles per mole of aniline (IV).

8. (withdrawn): The process for the preparation of compounds having general formula (I) according to claim 1, wherein X_3 represents a $Q(CR_1R_2)_nZ-$ group, a Q_1Z- group, a $Y(OC)-CR_6=CR_5-CR_3R_4Z-$ group, compounds (Ia), characterized in that it comprises the reaction of a uracil having general formula (VI) with a compound having general formula (VII) according to reaction scheme 3



(VI) (Ia)

Scheme 3:

wherein

- X_1, X_2 , X_4, G and Z have the meanings previously defined;
- R represents a C_1-C_3 alkyl group or a C_1-C_3 haloalkyl group;
- W represents a $Q(CR_1R_2)_n$- group, a Q_1- group, a $Y(OC)$-$CR_6=CR_5$-CR_3R_4- group, wherein R_1, R_2, R_3, R_4, R_5, R_6, Y, Q and Q_1 have the meanings defined above;
- L_2 represents a halogen atom, a R_LSO_2O- group, wherein R_L represents a C_1-C_4 alkyl or C_1-C_4 haloalkyl group or a phenyl group possibly substituted by C_1-C_4 alkyl groups, or it represents a $R_{L1}SO_2$- group wherein R_{L1} represents a C_1-C_4 alkyl or C_1-C_4 haloalkyl group.

9. (withdrawn): The process according to claim 8, characterized in that the reaction between the compounds having general formula (VI) and the compounds having general formula (VII) is carried out in the presence of one or more inert organic solvent(s) and in the presence of a base, preferably an inorganic base, at a temperature ranging from −10°C to the boiling point of the reaction mixture.

10. (withdrawn): The process for the preparation of the compounds having general formula (I) according to claim 1, wherein G = O and R ≠ H, compounds (Ic), characterized in that it comprises the reaction of a uracil having general

formula (Ib) with an alkylating compound having general formula (VIII) according to reaction scheme 4

Scheme 4:



(Ib) (Ic)

wherein

- X_1, X_2, X_3 and X_4 have the meanings defined above;
- R' represents a C_1-C_3 alkyl or C_1-C_3 haloalkyl group;
- L_1 represents a halogen atom, or a R_LSO_2O- group wherein R_L represents a C_1-C_4 alkyl or C_1-C_4 haloalkyl group or a phenyl group possibly substituted by C_1-C_4 alkyl groups.

11. (previously presented): The process according to claim 10, characterized in that the reaction between the compounds having general formula (Ib) and the compound having general formula (VIII) is carried out in the presence of one or more inert organic solvents and in the presence of a base, preferably an inorganic base, at a temperature ranging from

-10°C to the boiling point of the reaction mixture.

12. (withdrawn): The process according to claim 8, characterized in that the reaction is carried out in a biphasic system using water as solvent and an organic solvent immiscible with water, in the presence of phase transfer catalysts.

13. (withdrawn): The process for the preparation of compounds having general formula (I) according to claim 1, wherein G=O, compounds (Id), characterized in that it comprises a first reaction between a substituted aniline having formula (IV) and a chloroformiate or a carbonate having formula (IX) to give a carbamate having formula (X) and a second reaction wherein the carbamate is converted into the compounds having general formula (Id) by cyclo-condensation with a 3-aminocrotonate having general formula (III), according to reaction scheme 5:

Scheme 5:



(IV) (X)



(X) (Id)

wherein

- X_1, X_2, X_3, X_4 and R have the meanings defined above;
- L_5 represents a halogen atom or a OR_{14} group;
- R_{13} and R_{14} represent a C_1-C_4 alkyl or C_1-C_4 haloalkyl group or a phenyl group possibly substituted by C_1-C_4 alkyl groups.

14. (withdrawn): The process according to claim 13, characterized in that the first reaction is carried out in the presence of an inert organic solvent, at a temperature ranging from -10°C to the boiling point of the mixture

itself, in the presence of an organic or inorganic base, in a quantity varying from 1 to 1.5 moles per mole of aniline (IV), with a quantity of compound having formula (IX) varying from 1 to 1.5 moles per mole of aniline (IV).

15. (withdrawn): The process according to claim 13, characterized in that the cyclo-condensation reaction of the carbamate having general formula (X) with the 3-aminocrotonate having general formula (III) is carried out in the presence of an inert organic solvent and in the presence of an organic or preferably inorganic base, at a temperature ranging from −20°C to the boiling point of the reaction mixture.

16. (withdrawn): The process according to claim 10, characterized in that the compounds having general formula (Ib) are prepared starting from an aniline having general formula (IV) by reaction with a β-ketoester having general formula (XII), to give an anilide having general formula (XIII), then converted into the intermediate of general formula (XIV) by amination with ammonia or ammonium salts, said intermediate being converted into the compounds of general formula (Ib) by cyclization with a compound of general formula (XV), such as phosgene, or diphosgene according to the reaction scheme 6

Scheme 6:



wherein:

- X_1, X_2, X_3 and X_4 have the meanings defined above;
- R_{13} represents a C_1-C_4 alkyl or haloalkyl group or a phenyl group possibly substituted by C_1-C_4 alkyl groups;
- L_6 and L_7, having the same or different meaning, represent a chlorine atom, a CCl_3O- group, a C_1-C_4 alkoxy group, a phenoxy group, an imidazol-1-yl group or a 1,2,4-triazol-1-yl group.

17. (withdrawn): The process according to claim 16,

characterised in that the reaction between the compounds having general formula (IV) and the compounds having general formula (XII) is carried out in the presence of one or more inert organic solvents, at a temperature ranging from -10°C to the boiling temperature of the reaction mixture, using an amount of compound (XII) ranging from 1 to 3 moles per mole of aniline (IV).

18. (withdrawn): (currently amended) The process according to claim 17, characterised in that the reaction is carried out while distilling off compound $R_{13}OH$ formed during the reaction, alone or in mixture with the solvent used.

19. (withdrawn): (currently amended) The process according to claim 16, characterised in that the transformation of compounds having general formula (XIII) into compounds having general formula (XIV) is carried out in the presence of one or more inert organic solvents, at a temperature ranging from -10°C to the boiling temperature of the reaction mixture, using ammonia or an ammonium salt, in an amount ranging from 1 to 20 moles per mole of compound (XIII).

20. (withdrawn): The process according to claim 16, characterised in that the reaction between the compounds having general formula (XIV) and the compounds having general formula (XV) is carried out in the presence of one

or more inert organic solvents, at a temperature ranging from -10°C to the boiling temperature of the reaction mixture, using an amount of compound (XV) ranging from 1 to 5 moles per mole of compound (XIV) in the presence of a suitable organic or inorganic base, in an amount ranging from 1 to 5 moles per mole of compound (XIV).

21. (withdrawn): Use of uracils having general formula (I) according to claims 1, as herbicides.

22. (withdrawn): Use according to claim 21 for the pre-emergence and/or post-emergence control of monocotyledonous or dicotyledonous weeds.

23. (withdrawn): Method for the control of weeds in cultivated areas by the application of the compounds having general formula (I) according to claims 1.

24. (withdrawn): (The method according to claim 23, characterized in that the amount of compound having formula (I) to be applied varies between dosages of compounds ranging from 1g to 1000g per hectare.

25. (currently amended): The ~~herbicidal~~ composition[[s]] containing, as active principle, one or more compounds

having general formula (I) according to claim 1~~, possibly also as a blend of isomers~~.

26. (currently amended): The ~~herbicidal~~ composition[[s]] according to claim 25, comprising other active principles which are compatible with the compounds having general formula (I), ~~such as~~ and are selected from the group consisting of other herbicides, fungicides, insecticides, acaricides, and fertilizers~~, etc.~~.

27. (currently amended): The ~~herbicidal~~ composition[[s]] according to claim [[25]] 26, characterized in that the ~~further~~ other herbicides are selected from:
acetochlor, acifluorfen, aclonifen, AKH-7088, alachlor, alloxydim, ametryn, amicarbazone, amidosulfuron, amitrole, anilofos, asulam, atrazine, azafenidin, azimsulfuron, aziprotryne, BAY MKH 6561, beflubutamid, benazolin, benfluralin, benfuresate, bensulfuron, bensulide, bentazone, benzfendizone, benzobicyclon, benzofenap, benzthiazuron, bifenox, bilanafos, bispyribac-sodium, bromacil, bromobutide, bromofenoxim, bromoxynil, butachlor, butafenacil, butamifos, butenachlor, butralin, butroxydim, butylate, cafenstrole, carbetamide, carfentrazone-ethyl, chlomethoxyfen, chloramben, chlorbromuron, chlorbufam,

chlorflurenol, chloridazon, chlorimuron, chlornitrofen, chlorotoluron, chloroxuron, chlorpropham, chlorsulfuron, chlorthal, chlorthiamid, cinidon ethyl, cinmethylin, cinosulfuron, clethodim, clodinafop, clomazone, clomeprop, clopyralid, cloransulam-methyl, cumyluron (JC-940), cyanazine, cycloate, cyclosulfamuron, cycloxydim, cyhalofop-butyl, 2,4-D, 2,4-DB, daimuron, dalapon, desmedipham, desmetryn, dicamba, dichlobenil, dichlorprop, dichlorprop-P, diclofop, diclosulam, diethatyl, difenoxuron, difenzoquat, diflufenican, diflufenzopyr, dimefuron, dimepiperate, dimethachlor, dimethametryn, dimethenamid, dinitramine, dinoseb, dinoseb acetate, dinoterb, diphenamid, dipropetryn, diquat, dithiopyr, l-diuron, eglinazine, endothal, EPTC, esprocarb, ethalfluralin, ethametsulfuron-methyl, ethidimuron, ethiozin (SMY 1500), ethofumesate, ethoxyfen-ethyl (HC-252), ethoxysulfuron, etobenzanid (HW 52), fenoxaprop, fenoxaprop-P, fentrazamide, fenuron, flamprop, flamprop-M, flazasulfuron, florasulam, fluazifop, fluazifop-P, fluazolate (JV 485), flucarbazone-sodium, fluchloralin, flufenacet, flufenpyr ethyl, flumetsulam, flumiclorac-pentyl, flumioxazin, flumipropin, fluometuron, fluoroglycofen, fluoronitrofen, flupoxam, flupropanate, flupyrsulfuron, flurenol, fluridone, flurochloridone,

fluroxypyr, flurtamone, fluthiacet-methyl, fomesafen, foramsulfuron, fosamine, furyloxyfen, glufosinate, glyphosate, halosulfuron-methyl, haloxyfop, haloxyfop-P-methyl, hexazinone, imazamethabenz, imazamox, imazapic, imazapyr, imazaquin, imazethapyr, imazosulfuron, indanofan, iodosulfuron, ioxynil, isopropalin, isoproturon, isouron, isoxaben, isoxachlortole, isoxaflutole, isoxapyrifop, KPP-421, lactofen, lenacil, linuron, LS830556, MCPA, MCPA-thioethyl, MCPB, mecoprop, mecoprop-P, mefenacet, mesosulfuron, mesotrione, metamitron, metazachlor, methabenzthiazuron, methazole, methoprotryne, methyldymron, metobenzuron, metobromuron, metolachlor, S-metolachlor, metosulam, metoxuron, metribuzin, metsulfuron, molinate, monalide, monolinuron, naproanilide, napropamide, naptalam, NC-330, neburon, nicosulfuron, nipyraclofen, norflurazon, orbencarb, oryzalin, oxadiargyl, oxadiazon, oxasulfuron, oxaziclomefone, oxyfluorfen, paraquat, pebulate, pendimethalin, penoxsulam, pentanochlor, pentoxazone, pethoxamid, phenmedipham, picloram, picolinafen, piperophos, pretilachlor, primisulfuron, prodiamine, profluazol, proglinazine, prometon, prometryne, propachlor, propanyl, propaquizafop, propazine, propham, propisochlor, propyzamide, prosulfocarb, prosulfuron, pyraclonil, pyraflufen-ethyl, pyrazogyl (HSA-961), pyrazolynate,

pyrazosulfuron, pyrazoxyfen, pyribenzoxim, pyributicarb, pyridafol, pyridate, pyriftalid, pyriminobac-methyl, pyrithiobac-sodium, quinclorac, quinmerac, quizalofop, quizalofop-P, rimsulfuron, sethoxydim, siduron, simazine, simetryn, sulcotrione, sulfentrazone, sulfometuron-methyl, sulfosulfuron, 2,3,6-TBA, TCA-sodium, tebutam, tebuthiuron, tepraloxydim, terbacil, terbumeton, terbuthyl-azine, terbutryn, thenylchlor, thiazafluron, thiazopyr, thidiazimin, thifensulfuron-methyl, thiobencarb, tiocarbazil, tioclorim, tralkoxydim, tri-allate, triasulfuron, triaziflam, tribenuron, triclopyr, trietazine, trifloxysulfuron, trifluralin, triflusulfuron-methyl, tritosulfuron, UBI-C4874, vernolate.

28. (currently amended): The composition[[s]] according to claim 25, characterized in that the concentration of the active substance ranges from 1 to 90%.

29. A uracil compound as defined in claim 1 wherein Q is 1,2,4-oxadiazolyl.

30. A uracil compound as defined in claim 1 wherein Q is 5-methyl-1,2,4-oxadiazolyl.